



# Bobcat®

## Sweeping

## Attachments



# Bobcat brooms make a clean sweep!

## ■ A new angle on sweeping

Cleaning takes on a whole new perspective with Bobcat's angle broom attachment. You can use it with a wide range of Bobcat loaders\*, for a load of applications:

- Quickly and efficiently sweep away dirt, light snow and other debris;
- Use it for quick snow removal, without damaging pavement surfaces;

- Sweep flush alongside a curb or wall;
- Adjust the broom angle with the fingertip controls (optional);
- Manually adjust the 3 angle positions of the 48" broom to obtain perfect results;
- The storage stand prevents bristle distortion when you aren't using the broom.

(\* ) Check with your dealer for compatibility with Bobcat telescopic handlers.

ANGLE BROOM



### ■ Give dirt the push!

With the Bobcat whisker push broom, you can sweep 20 - 30 times faster than by hand! Dramatically cut the cost of cleaning up all kinds of debris from all kinds of sites:

- Use it for both wet or dry debris;
- You can quickly and easily clean along curbs and in tight areas;
- No flying debris and minimal dust make it a safer and healthier sweeping solution;
- It quickly attaches to the loader bucket;
- You can sweep moving both forward and in reverse.

### WHISKER PUSH BROOM



When using the sweeper, add the water kit to help reduce dust (also suitable for the planer, vibratory roller, angle broom, etc). An electric pump supplies water to the nozzles on the attachment.



### SWEeper




### ■ This attachment sweeps the board!

With just one attachment, you can sweep up and dispose of dirt and debris. The Bobcat sweeper's polypropylene bristles deposit dirt and other debris in the bucket. When it's full, just dump it!

- You can also use it to spread materials evenly across your worksite;
- Choose from several sizes, ranging from 44" to 84";
- The sweepers fit a variety of Bobcat loaders\*;
- They are easy to attach and to operate;
- Use them in both forward and reverse drive;
- The reversible cutting edge extends the sweeper's lifetime;
- Increase the versatility with the optional gutter brush (54" or larger models only).

(\* ) Check with your dealer for compatibility with Bobcat telescopic handlers.



Sweeps & collects travelling forward



Sweeps & collects travelling in reverse



Dumps/spreads material

## Benefits

Dirt, dried mud, light snow and other debris are quickly and efficiently swept away with these Bobcat attachments. Whether you're cleaning driveways, sidewalks, parking lots, loading docks or warehouses you can depend on Bobcat sweeping attachments to get the job done right.

## Applications

- Construction
- Municipal jobs
- Landscaping

## Approved machines

ANGLE BROOM	48" / 122 cm	68" / 173 cm	84" / 213 cm	84" / 213 cm (Telescopic)	WHISKER PUSH BROOM	72" / 183 cm	90" / 229 cm
Item number	6907000	6905805	6905806	6906627	Item number	6728236	6728241
Approved for	S70	S100, S130, S150, S160, S175, S185, S205, S220, S250, S300, S330, T140, T190	S150, S160, S175, S175H, S185, S185H, S205, S205H, S220, S250, S300, S330, A300, T190, T190H, T250, T300, T320, T2250	T2250, T2556, T2566, T3571, T3571L, T35100, T35120L, T35120SL	Approved for	S130, S150, S160, S175, S185, S205, S220, S250, S300, S330, A300, T140, T190	S150, S160, S175, S185, S205, S220, S250, S300, S330, A300, T190

SWEEPER	DD* 44" / 112 cm w/ cover	DD 48" / 122 cm w/ cover	DD 54" / 137 cm w/ cover	60" / 152 cm w/ cover	72" / 183 cm w/ cover	79" / 202 cm open	79" / 202 cm w/ cover	84" / 213 cm w/ cover
Item number	7138898	7149358	7138870	6707144	6707837	2110007	2110008	7112646
Approved for	S70	S70, S100	S100, S130	S130, S150, S160, S175, S185, S205, T140, T190	S150, S160, S175, S185, S205, S220, S250, S300, S330, A300, T140, T190	S220, S250, S300, S330, A300, T250, T300, T320	S220, S250, S300, S330, A300, T250, T300, T320	S220, S250, S300, S330, A300, T250, T300, T320

## Weights and dimensions

ANGLE BROOM	48" / 122 cm	68" / 173 cm	84" / 213 cm	84" / 213 cm (Telescopic)	WHISKER PUSH BROOM	72" / 183 cm	90" / 229 cm
Operating weight (kg)	118	390	428	440	Operating weight (kg)	128	148
Overall width (mm)	1395	2009	2416	2451	Overall width (mm)	1828	2286
Overall height (mm)	580	879	879	884	Overall height (mm)	—	—
Overall length (mm)	1190	1680	1680	1745	Overall length (mm)	—	—

SWEEPER	DD* 44" / 112 cm w/ cover	DD 48" / 122 cm w/ cover	DD 54" / 137 cm w/ cover	60" / 152 cm w/ cover	72" / 183 cm w/ cover	79" / 202 cm open	79" / 202 cm w/ cover	84" / 213 cm w/ cover
Operating weight (kg)	250	270	295	371	420	575	610	467
Overall width (mm)	1227	1328	1481	1674	1979	2160	2160	2284
Overall height (mm)	581	581	581	676	676	730	730	676
Overall length (mm)	1294	1294	1294	1561	1561	1400	1480	1561

## Performance

ANGLE BROOM	48" / 122 cm	68" / 173 cm	84" / 213 cm	84" / 213 cm (Telescopic)	WHISKER PUSH BROOM	72" / 183 cm	90" / 229 cm
Sweeping width straight (mm)	1219	1727	2134	2134	Sweeping width (mm)	1828	2286
Sweeping width fully angled (mm)	1055 @ 30°	1600 @ 25°	1956 @ 25°	1956 @ 25°	Bristle material	Polypropylene	Polypropylene
Brush diameter (mm)	543	813	813	813	Number of sections	8	8
Number of sections (zig/zag - straight)	23 - 4	33 - 2	48 - 2	48 - 2			
Degree of angle (°)	± 30 (manual)	± 25 (hydr. cyl.)	± 25 (hydr. cyl.)	± 25 (hydr. cyl.)			
Flow range (l/min)	30 - 50	30 - 68	57 - 106	57 - 106			

SWEEPER	DD* 44" / 112 cm w/ cover	DD 48" / 122 cm w/ cover	DD 54" / 137 cm w/ cover	60" / 152 cm w/ cover	72" / 183 cm w/ cover	79" / 202 cm open	79" / 202 cm w/ cover	84" / 213 cm w/ cover
Sweeping width (mm)	1120	1220	1370	1520	1830	1990	1990	2130
Bucket capacity (m³)	0.19	0.21	0.23	0.37	0.45	0.60	0.60	0.52
Brush diameter (mm)	546	546	546	610	610	600	600	610
Bristle material	Polypropylene	Polypropylene	Polypropylene	Polypropylene	Polypropylene	Polypropylene	Polypropylene	Polypropylene
Number of sections	21	23	26	29	35	51	51	42
Speed (rpm) @ Flow (l/min)	185 @ 57	185 @ 57	185 @ 57	215 @ 57	215 @ 57	145 @ 70	145 @ 70	215 @ 57

\* Direct drive



www.bobcat.eu



# Bobcat®

Specifications and design are subject to change without notice. - Pictures of Bobcat products may show other than standard equipment.